


HYROX



Color Card
5% in White Cement
& 5% in Grey Cement



50%
白水泥和灰水泥



升华集团德清华源颜料有限公司
SHENGHUA GROUP DEQING HUAYUAN PIGMENT CO.,LTD.

5% in White Cement
5% 白水泥

5% in Grey Cement
5% 灰水泥

5% in White Cement
5% 白水泥

5% in Grey Cement
5% 灰水泥

Iron Oxide Red
氧化铁红



101



101



140



140



110



110



160



160



120



120



180



180



130



130



190



190

Iron Oxide Yellow
氧化铁黄



311



311



586



586



313



313



810



810

5% in White Cement
5% 白水泥

5% in Grey Cement
5% 灰水泥

5% in White Cement
5% 白水泥

5% in Grey Cement
5% 灰水泥

Iron Oxide Black 氧化铁黑



318



318



740



740



330



330



750



750

Iron Oxide Orange 氧化铁橙



960



960



2040



2040

Iron Oxide Brown 氧化铁棕



610



610



686



686



663



663



841



841

Compound Ferric Green 复合铁绿



835



835



5605



5605

Technical Data

技术指标

	型号 Type	含量 Fe ₂ O ₃ (%)	吸油量 Oil absorption (ml/100g)	筛余物 Res. on 325 mesh (%)	水溶物 Water sol. Salts (%)	水份 Moisture (%)	Ph值 pH value	密度 Tamped apparent density g/cm ³	粒子形状 Particle shape	色差 ΔE compared with std.	着色力 Tinting strength (%)
Iron Oxide Red 氧化铁红	101	≥96	15-25	≤0.3	≤0.3	≤1.0	3-7	0.7-1.1	spherical	≤1	95-105
	110	≥96	15-25	≤0.3	≤0.3	≤1.0	3-7	0.7-1.1	spherical	≤1	95-105
	120	≥96	15-25	≤0.3	≤0.3	≤1.0	3-7	0.7-1.1	spherical	≤1	95-105
	130	≥96	15-25	≤0.3	≤0.3	≤1.0	3-7	0.7-1.1	spherical	≤1	95-105
	140	≥96	15-25	≤0.3	≤0.3	≤1.0	3-7	0.9-1.3	spherical	≤1	95-105
	160	≥96	15-25	≤0.3	≤0.3	≤1.0	3-7	1.0-1.4	spherical	≤1	95-105
	180	≥96	15-25	≤0.3	≤0.3	≤1.0	3-7	1.3-1.7	spherical	≤1	95-105
190	≥96	15-25	≤0.3	≤0.3	≤1.0	3-7	0.7-1.1	spherical	≤1	95-105	
Iron Oxide Yellow 氧化铁黄	311	≥86	25-35	≤0.3	≤0.3	≤1.0	3-7	0.4-0.6	acicular	≤1	95-105
	313	≥86	25-35	≤0.3	≤0.3	≤1.0	3-7	0.4-0.6	acicular	≤1	95-105
	586	≥86	25-35	≤0.3	≤0.3	≤1.0	3-7	0.4-0.6	acicular	≤1	95-105
	810	≥86	25-35	≤0.3	≤0.3	≤1.0	3-7	0.4-0.6	acicular	≤1	95-105
Iron Oxide Orange 氧化铁橙	2040	≥88	20-30	≤0.3	≤0.3	≤1.0	3-7	0.4-0.6	irregular	≤1	95-105
	960	≥88	20-30	≤0.3	≤0.3	≤1.0	3-7	0.4-0.6	irregular	≤1	95-105
Iron Oxide Black 氧化铁黑	318	≥90	15-25	≤0.5	≤0.5	≤1.5	5-8	0.8-1.2	spherical	≤1	95-105
	330	≥90	15-25	≤0.5	≤0.5	≤1.5	5-8	0.9-1.3	spherical	≤1	95-105
	740	≥90	15-25	≤0.5	≤0.5	≤1.5	5-8	0.9-1.3	spherical	≤1	95-105
	750	≥90	15-25	≤0.5	≤0.5	≤1.5	5-8	0.8-1.2	spherical	≤1	95-105
Iron Oxide Brown 氧化铁棕	841	≥88	20-30	≤0.3	≤0.5	≤1.0	4-7	0.7-1.1	irregular	≤1	95-105
	610	≥88	20-30	≤0.3	≤0.5	≤1.0	4-7	0.7-1.1	irregular	≤1	95-105
	663	≥88	20-30	≤0.4	≤0.5	≤1.0	4-7	0.8-1.2	irregular	≤1	95-105
	686	≥88	20-30	≤0.3	≤0.5	≤1.0	4-7	0.8-1.2	irregular	≤1	95-105
Compound Ferric Green 复合铁绿	835		25-35	≤0.3	≤2.0	≤1.0	≥6.0	0.4-0.8	irregular	≤1	95-105
	5605		25-35	≤0.3	≤2.0	≤1.0	≥6.0	0.4-0.8	irregular	≤1	95-105

Whilst all reasonable care has been taken in the brochure, the technical data and colour shade are given in good faith. Our advice is only for your reference, and does not release you from the obligation to test and determine the suitability for your processes and applications. The application and processing of our products and the products manufactured by you are beyond our control and therefore, entirely your own responsibility, no warranty or guarantee is given by us.

本文的技术资料和色块样本均是出于诚意所提供的。我们的信息仅供参考，需要由您自行测试并决定是否适合您的用途。对我们产品的应用和处理，以及您制造的最终产品都处于我们的控制之外，我们无法承担保证和义务。

升华集团德清华源颜料有限公司

地址：中国浙江省德清县钟管工业区
 电话：0572-8401598, 8400686
 传真：0572-8409378, 8401282
 邮编：313220
 网址：www.ironoxide.com.cn
 邮件：huayuan@ironoxide.com.cn

SHENGHUA GROUP DEQING HUAYUAN PIGMENT CO.,LTD.

Sales Department:

Add: Unit C, Floor 11, Baima Mansion,
 Miduqiao Road, Hangzhou, 310005, China
 Tel: 86-571-85812159, 85812160
 Fax: 86-571-85812161
 Web: www.ironoxide.com.cn
 Email: sales@ironoxide.com.cn

Chemik Co., Ltd.

- A Division of Deqing Huayuan Pigment Co., Ltd.

Add: RM.2225, 55 Yunshi Road, Ningbo 315010, China
 Tel: 86-574-87296330
 Fax: 86-574-87297461
 Email: cai@chemik.nbip.net

